read through the document.

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2011

Confirm consecutive 12-month period (month-year to month-year)	
Type of Public Agency (Sector):	School Board
Agency Sub-sector	School Board
Organization Name	Halton District School Board

Please fill in the mandatory fields indicated in red, in addition to submitting data on your energy usage.

										Energy Type and Amount Purchased and Consumed in Natural Units													Total				
Operation Name and/or Unique Identifier	Operation Type	Address	City	Postal Code	Total Floor Area of the Indoor Space in which Operation is Conducted	Annual Flow (Mega Litres)	Average # Hours Per Week	Swimming Pool (Y/N)	Number of Portables	Electricity	Natural Gas	Fuel Oil 1 & 2	Fuel Oil 4 & 6	Propane	Coal	Wood	District Heating	Renewable?	If Yes, enter Emission Factor	District Cooling	Renewable?	If Yes, enter Emission Factor	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Energy Intensity (GJ/m2)	Energy Intensity (ekWh/Mega Litres)	Energy Intensity (GJ/Mega Litres)
Abbey Lane Public School	School	1160 Old Abbey Lane	Oakville	L6M 1S4	49.238.00 Square Feet		40	FALSE		348.636.27930 kWh	43.085.47574 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		115.638.86457	16.38042	0.058969513		
Abbey Park High School	School	1455 Glen Abbey Gate	Oakville	L6M 2V7	116.674.00 Square Feet		40	FALSE	12.00	1.557.333.89063 kWh	154.564.02375 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		444.903.93117	27.42690	0.098736835		
Acton District High School	School	21 Cedar Road	Halton Hills	L7J 2V2	98.500.00 Square Feet		40	FALSE		849.677.89453 kWh	170.531.83755 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		405.714.51720	27.02591	0.097293284		
Aldershot High School	School	50 Fairwood Place West	Burlington	L7T 1T5	142.830.00 Square Feet		40	TRUE		1.240.163.76563 kWh	317.489.56067 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		721.839.99120	32.30674	0.116304279		
Alexander's Public School	School	2223 Sutton Drive	Burlington	L7L 0B9	60.980.00 Square Feet		40	FALSE	18.00	880.089.14453 kWh	64.700.62123 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		208.608.68115	25.70864	0.09255111		
Brant Hills Public School	School	2330 Duncaster Drive	Burlington	L7P 4C3	42.100.00 Square Feet		40	FALSE	2.00	277.889.51758 kWh	51.593.23352 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		124.787.84861	19.62496	0.070649866		
Brookdale Public School	School	1195 Bridge Road	Oakville	L6L 2C3	41.775.00 Square Feet		40	FALSE		167.121.96875 kWh	73.332.07448 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		155.028.23780	22.65659	0.081563716		
Brookville Public School	School	RR #1, 11325 Guelph Line	Campbellville	L0P 1B0	43.986.00 Square Feet		40	FALSE		185.738.96973 kWh	95.240.63460 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		198.274.36386	27.23447	0.098044081		
Bruce T Lindley Public School	School	2510 Cavendish Drive	Burlington	L7P 4K5	34.063.00 Square Feet		40	FALSE	1.00	339.619.72852 kWh	34.369.38883 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		98.276.01269	20.69371	0.074497368		
Bruce Trail Public School	School	1199 Costigan Road	Milton	L9T 6N8	67.387.00 Square Feet		40	FALSE	10.00	839.100.17578 kWh	58.175.84221 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		192.254.19927	21.62702	0.077857277		
Burlington Central High School	School	1433 Baldwin Street	Burlington	L7S 1K4	157.392.00 Square Feet		40	FALSE		777.206.23047 kWh	243.622.83160 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		536.797.20207	21.38848	0.076998526		
C H Norton Public School	School	2120 Cleaver Avenue	Burlington	L7M 3P9	59.520.00 Square Feet		40	FALSE	4.00	502.001.61328 kWh	60.969.58175 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		164.486.97559	19.32078	0.069554805		
Captain R. Wilson Public School	School	2145 Grand Oak Trail	Oakville	L6H 4M3	60.904.00 Square Feet		40	FALSE	2.00	495.287.20508 kWh	92.305.02835 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		223.072.33642	24.23953	0.08726232		
Centennial Public School	School	233 Delrex Boulevard	Halton Hills	L7G 4G1	53.975.00 Square Feet		40	FALSE		382.128.90869 kWh	66.901.65836 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		163.949.99985	20.25280	0.072910079		
Central Public School	School	638 Brant Street	Burlington	L7R 2H2	42.356.00 Square Feet		40	FALSE	1.00	240.826.12988 kWh	50.863.79603 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		119.775.05987	18.44828	0.0664138		
Charles R. Beaudoin Public School	School	4313 Clubview Drive	Burlington	L7L 2R2	68.809.00 Square Feet		40	FALSE		682.277.85547 kWh	69.714.54547 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		198.694.72291	20.68317	0.074459428		
Chisholm Public School	School	165 Charnwood Drive	Oakville	L6L 5H2	26.808.00 Square Feet		40	FALSE	2.00	269.561.68359 kWh	64.271.33751 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		147.940.95349	35.53503	0.12792612		
Chris Hadfield Public School	School	1114 Woodward Avenue	Milton	L9T 5P5	58.652.00 Square Feet		40	FALSE	13.00	525.522.34375 kWh	53.361.95735 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		152.409.76793	18.62923	0.067065214		
Clarksdale Public School	School	2399 Mountainside Drive	Burlington	L7P 1C6	51.647.00 Square Feet		40	FALSE	5.00	337.621.74023 kWh	82.614.66080 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		189.293.94371	23.53732	0.084734354		
Dr Charles Best Public School	School	3110 Parkgate Crescent	Burlington	L7M 1C7	28.984.00 Square Feet		40	FALSE		215.740.56836 kWh	33.227.72054 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		83.972.43093	19.62729	0.070658247		
E J James Public School	School	338 Cairncroft Road	Oakville	L6J 4M6	46.663.00 Square Feet		40	FALSE	2.00	181.851.12695 kWh	75.553.28035 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		160.671.75626	21.10483	0.075977382		
E W Foster Public School	School	320 Coxe Boulevard	Milton	L9T 4M5	32.205.00 Square Feet		40	FALSE	10.00	317.118.13867 kWh	24.685.12453 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		77.760.62524	17.99305	0.064774978		
East Maintenance Depot	Administrative offices and related facilities	2526 Speers Road	Oakville	L6L 5M2	2.520.00 Square Feet		40	FALSE		24.601.97000 kWh	8.733.50000 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		18.923.76804	46.59510	0.167742381		
Eastview Public School	School	2266 Hixon Street	Oakville	L6L 4T4	52.112.00 Square Feet		40	FALSE		260.000.00000 kWh	83.614.07363 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		183.573.42519	22.04160	0.079349755		
Emily Carr Public School	School	2255 Pine Glen Road	Oakville	L6M 0G5	62.530.00 Square Feet		40	FALSE	2.00	609.949.16406 kWh	57.457.43741 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		168.429.99855	19.52013	0.070272486		
Escarpment View Public School	School	351 Scott Boulevard	Milton	L9T 0T1	70.797.00 Square Feet		40	FALSE		642.449.18359 kWh	36.804.15497 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		132.568.64705	14.59943	0.052557933		
Falgarwood Public School	School	1385 Gainsborough Drive	Oakville	L6H 2H7	58.739.00 Square Feet		40	FALSE	1.00	301.729.28516 kWh	92.169.93948 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		203.840.51528	21.81329	0.078527849		
Florence Meares Public School	School	2102 Berwick Drive	Burlington	L7M 4W6	62.885.00 Square Feet		40	FALSE	4.00	647.537.09375 kWh	56.654.72798 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		170.597.49506	19.87200	0.071539213		
Forest Trail Public School	School	1406 Pine Glen Road	Oakville	L6M 4B9	58.235.00 Square Feet		40	FALSE	15.00	719.796.44922 kWh	59.959.68278 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		183.930.23905	23.30273	0.083889837		
Frontenac Public School	School	5140 Pinedale Avenue	Burlington	L7L 3V4	65.818.00 Square Feet		40	FALSE		414.953.49609 kWh	149.918.71281 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		324.122.40700	30.51226	0.109844154		
Gardiner Public School	School	14365 Danby Drive	Georgetown	L7G 6L8	58.273.00 Square Feet		40	FALSE		545.737.17188 kWh	43.184.46238 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		135.149.78288	17.24112	0.062068048		
George Kennedy Public School	School	75 Weber Drive	Georgetown	L7G 1C5	44.871.00 Square Feet		40	FALSE		188.907.24023 kWh	69.321.87902 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		149.582.28200	20.62902	0.074264473		
Georgetown District High School	School	70 Guelph Street	Georgetown	L7G 3Z5	204.244.00 Square Feet		40	FALSE		1.785.404.85938 kWh	466.897.44655 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		1.057.770.01110	33.03640	0.118931052		
Gladys Speers Public School	School	2150 Samway Road	Oakville	L6L 2P6	32.394.00 Square Feet		40	FALSE		97.856.84277 kWh	61.856.67895 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		126.541.79222	23.31468	0.083932863		
Glen Williams Public School	School	512 Main Street	Halton Hills	L7G 3S8	19.009.00 Square Feet		40	FALSE	2.00	133.660.23828 kWh	24.257.95018 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		58.966.78534	20.59384	0.074137831		
Glenview Public School	School	143 Townsend Avenue East	Burlington	L7T 1Z1	33.857.00 Square Feet		40	FALSE		245.966.86914 kWh	70.065.34536 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		156.582.02556	29.25852	0.10533068		
Harrison Public School	School	59 Rexway Drive	Halton Hills	L7G 1P9	29.466.00 Square Feet		40	FALSE		148.698.69385 kWh	62.807.97909 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		133.324.88103	27.69999	0.099719968		
Hawthorne Village Public School	School	850 Bennett Boulevard	Milton	L9T 6X9	58.219.00 Square Feet		40	FALSE	8.00	730.711.61719 kWh	54.845.30136 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		175.330.97452	22.56300	0.081226799		
Heritage Glen Public School	School	1641 Heritage Way	Oakville	L6M 2Z4	73.714.00 Square Feet		40	FALSE		580.386.58594 kWh	84.533.79580 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		216.722.97765	20.06122	0.072220402		
Howard Wrigglesworth	School	96 Guelph Street	Georgetown	L7G 3Z5	25.539.00 Square Feet		40	FALSE		189.691.54688 kWh	87.024.27236 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		183.127.79823	43.64173	0.157110232		
Iroquois Ridge High School	School	1123 Glenashton Drive	Oakville	L6H 5M1	175.750.00 Square Feet		40	FALSE	4.00	1.752.237.19531 kWh	218.544.51980 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		584.975.50446	23.18566	0.083468377		
J M Denyes Public School	School	215 Thomas Street	Milton	L9T 2E5	30.392.00 Square Feet		40	FALSE	5.00	186.961.99854 kWh	67.694.54896 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		146.314.89635	29.82379	0.107365643		
J. W. Singleton Centre	Administrative offices and related facilities	2050 Guelph Line	Burlington	L7R 3Z2	52.850.00 Square Feet		40	FALSE	4.00	1.108.543.66406 kWh	73.980.40031 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		248.550.96312	35.85224	0.129068066		
James W Hill Public School	School	2860 Kingsway Drive	Oakville	L6J 6R3	57.115.00 Square Feet		40	FALSE		633.236.68750 kWh	39.519.42939 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		136.799.02507	18.44070	0.066386508		
John T Tuck Public School	School	3365 Spruce Avenue	Burlington	L7N 1J7	55.589.00 Square Feet		40	FALSE	1.00	242.926.09830 kWh	87.938.01713 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		190.074.46418	21.18246	0.076256858		
Joseph Gibbons Public School	School	41 Moore Park Crescent	Georgetown	L7G 2T3	25.268.00 Square Feet		40	FALSE		185.899.59863 kWh	42.428.55021 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		98.442.15925	25.20266	0.090729574		
Joshua Creek Public School	School	1450 Arrowhead Road	Oakville	L6H 7Z4	65.397.00 Square Feet		40	FALSE	2.00	631.031.43359 kWh	57.020.36906 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		169.670.57105	18.91572	0.068096586		
Kilbride Public School	School	6611 Panton Street	Kilbride	L0P 1G0	34.344.00 Square Feet		40	FALSE	1.00	223.078.29980 kWh	45.378.91096 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		107.665.19080	20.53795	0.073936612		
Kings Road Public School	School	660 Greenwood Drive	Burlington	L7T 3P3	28.884.00 Square Feet		40	FALSE		125.798.64990 kWh	62.126.13043 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		129.790.63923	27.21442	0.097971918		
Lakeshore Public School	School	2243 Lakeshore Road East	Burlington	L7R 1B1	38.327.00 Square Feet		40	FALSE		447.272.03223 kWh	16.949.82756 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		75.896.35167	16.36995	0.058931816		
Lester B Pearson High School	School	1433 Headon Road	Burlington	L7M 1V7	112.897.00 Square Feet		40	FALSE	12.00	1.605.408.94531 kWh	264.252.34110 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		656.996.90390	39.09602	0.140745695		
Limehouse Public School	School	11139 22 Side Road	Limehouse	L0P 1H0	16.928.00 Square Feet		40	FALSE		98.855.28296 kWh		28.147.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		86.460.06862	23.76048	0.085537725		
M M Robinson High School	School	2425 Upper Middle Road	Burlington	L7P 3N9	214.118.00 Square Feet		40	TRUE	3.00	1.625.516.73438 kWh	445.385.84741 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		1.001.424.16918	29.69848	0.106914518		
Maple Grove Public School	School	288 Maple Grove Drive	Oakville	L6J 4V5	52.893.00 Square Feet		40	FALSE		212.400.16016 kWh	75.203.37280 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		163.005.23881	19.12625	0.06885451		
Maplehurst Public School	School	481 Plains Road East	Burlington	L7T 2E2	57.920.00 Square Feet		40	FALSE		201.972.87598 kWh	91.142.74254 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		192.118.35066	20.21094	0.072759387		
Martin Street Public School	School	184 Martin Street	Milton	L9T 2R4	28.705.00 Square Feet		40	FALSE	1.00	116.645.20020 kWh	46.780.68031 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		99.880.71271	21.38373	0.076981416		
McKenzie-Smith Bennett Public School	School	69 Acton Boulevard	Acton	L7J 2H4	95.847.00 Square Feet		40	TRUE	1.00	453.689.64063 kWh	241.046.80709 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		500.209.33412	31.46141	0.113261067		
Milton District High School	School	396 Williams Avenue	Milton	L9T 2G4	145.722.00 Square Feet		40	FALSE	4.00	974.907.81421 kWh	215.855.85460 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		503.682.86891	22.43296	0.080758658		
Mohawk Gardens Public School	School	5280 Spruce Avenue	Burlington	L7L 1N3	45.330.00 Square Feet		40	FALSE	2.00	303.561.21875 kWh	61.894.91696 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		146.781.34305	21.20818	0.076349435		
Montclair Public School	School	1285 Montclair Drive	Oakville	L6H 1Z3	52.567.00 Square Feet		40	FALSE		354.899.88184 kWh	97.324.80403 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		218.799.28667	26.42811	0.095141183		
Munns Public School	School	1511 6th Line	Oakville	L6H 1X8	43.634.00 Square Feet		40	FALSE		0.00000 kWh	90.806.11146 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		171.680.48608	22.11732	0.079622355		
Nelson High School	School	4181 New Street	Burlington	L7L 1T3	167.915.00 Square Feet		40	FALSE		823.358.56250 kWh	294.180.07106 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		636.906.85868	23.52285	0.084682252		
New Street Education Centre & Gary Allan HS	School	3250 New Street	Burlington	L7N 1M8	125.987.00 Square Feet		40	FALSE		728.179.46094 kWh	297.105.86013 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		633.107.07537	30.84250	0.111033013		
Oakville Continuing Education Centre	School	1747 Wallace Road	Oakville	L6L 2Y2	1.200.00 Square Feet		40	FALSE		5.609.03000 kWh	0.00000 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		549.90930	4.67419	0.01682709		
Oakville Trafalgar High School	School	1460 Devon Road	Oakville	L6J 3L6	161.581.00 Square Feet		40	FALSE	7.00	1.887.520.50000 kWh	173.949.44983 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		513.926.03631	23.12287	0.083242335		
Oakwood Public School	School	357 Bartos Drive	Oakville	L6K 3E5	31.853.00 Square Feet		40	FALSE		81.965.17139 kWh	48.112.61836 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		98.998.88071	18.62604	0.067053759		
Orchard Park Public School	School	5151 Dryden Avenue	Burlington	L7L 7J3	55.156.00 Square Feet		40	FALSE	12.00	1.644.637.23438 kWh	71.349.50753 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		296.135.53983	43.56596	0.156837446		
Palermo Public School	School	2561 Valleyridge Drive	Oakville	L6M 5H4	70.226.00 Square Feet		40	FALSE		612.484.35938 kWh	46.142.41345 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		147.286.05930	15.70466	0.056536787		
Park Public School	School	6 Hyde Park Drive	Georgetown	L7G 2B6	24.028.00 Square Feet		40	FALSE	1.00	123.191.47510 kWh	39.661.80848 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		87.063.37819	22.66973	0.081611041		
Paul A Fisher Public School	School	2175 Cavendish Drive	Burlington	L7P 3J8	28.160.00 Square Feet		40	FALSE		265.774.40820 kWh	24.215.62783 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		71.839.24277	18.57716	0.066877762		
Pauline Johnson Public School	School	4350 Longmoor Drive	Burlington	L7L 1X7	26.919.00 Square Feet		40	FALSE		198.755.99976 kWh	74.178.98439 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		159.730.82893	36.66978	0.132011202		
Pilgrim Wood Public School	School	1551 Pilgrims Way	Oakville	L6M 2W7	57.034.00 Square Feet		40	FALSE		663.078.64453 kWh	76.610.88382 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		209.850.83576	25.90178	0.093246406		
Pine Grove Public School	School	529 4th Line	Oakville	L6L 5A8	47.122.00 Square Feet		40	FALSE	8.00	333.332.31250 kWh	118.092.70048 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		255.949.14795	33.70814	0.121349328		
Pineland Public School	School	5121 Meadowhill Road	Burlington	L7L 3K7	55.613.00 Square Feet		40	FALSE		165.486.44824 kWh	77.800.75867 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		163.316.50635	17.84359	0.064236927		
Pineview Public School	School	13074 5 Side Road R.R.#2	Georgetown	L7G 4S5	29.632.00 Square Feet		40	FALSE		257.038.42773 kWh		30.943.90000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		109.596.62598	19.92930	0.071745466		
PL Robertson Public School	School	840 Scott Boulevard	Milton	L9T 2C9	69.408.00 Square Feet		40	FALSE	6.00	829.930.57813 kWh	67.335.95586 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		208.673.57010	22.26778	0.080164012		
Post's Corners Public School	School	2220 Caldwell Drive	Oakville	L6H 6B5	61.647.00 Square Feet		40	FALSE	6.00	625.976.01172 kWh	68.815.90555 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		191.475.89725	22.01788	0.079264363		
River Oaks Public School	School	2173 Munn's Avenue	Oakville	L6H 3S9	57.034.00 Square Feet		40	FALSE		593.542.07031 kWh	55.627.56210 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		163.361.83543	20.77251	0.074781042		
Robert Baldwin Public School	School	180 Wilson Drive	Milton	L9T 3J9	35.882.00 Square Feet		40	FALSE		275.598.48047 kWh	26.805.34031 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		77.698.57516	15.62008	0.056232285		
Robert Bateman High School	School	5151 New Street	Burlington	L7L 1V3	212.270.00 Square Feet		40	TRUE		2.030.308.51563 kWh	465.462.65822 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		1.079.067.71599	32.86918	0.118329071		
Robert Little Public School	School	41 School Lane	Acton	L7J 1B9	38.718.00 Square Feet		40	FALSE		149.490.92480 kWh	61.093.68601 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		130.161.46256	20.63074	0.074270669		
Rolling Meadows Public School	School	1522 Mountain Grove Avenue	Burlington	L7P 2H5	55.374.00 Square Feet		40	FALSE	3.00	223.244.41541 kWh	85.241.21263 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		183.046.22060	20.39168	0.07341006		
Ryerson Public School	School	565 Woodview Road	Burlington	L7N 2Z9	39.919.00 Square Feet		40	FALSE		157.371.37988 kWh	80.015.61021 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		166.708.36317	25.24511	0.090882392		
Sam Sherratt Public School	School	649 Laurier Avenue	Milton	L9T 4N4	40.982.00 Square Feet		40	FALSE	3.00	463.060.44922 kWh	99.859.04683 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		234.194.65657	37.19536	0.133903293		
Sheridan Public School	School	1555 Lancaster Drive	Oakville	L6H 3H4	27.348.00 Square Feet		40	FALSE		111.936.03662 kWh	42.095.19502 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		90.560.52130	20.45175	0.073626294		
Silver Creek Public School	School	170 Eaton Street	Georgetown	L7G 5V6	59.885.00 Square Feet		40	FALSE	2.00	665.407.19922 kWh	44.784.46925 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		149.907.24856	19.05931	0.068613504		
Sir Ernest MacMillan Public School	School	1350 Headon Road	Burlington	L7M 1V8	41.023.00 Square Feet		40	FALSE	6.00	544.172.71094 kWh	58.811.65984 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		164.541.60460	28.50133	0.102604779		
Stewarttown Public School	School	13068 15 Side Road, R.R.#2	Georgetown	L7G 4S5	42.250.00 Square Feet		40	FALSE	4.00	254.781.21387 kWh	33.573.67327 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		88.454.04337	14.47561	0.052112215		
Sunningdale Public School	School	1434 Oxford Avenue	Oakville	L6H 1T4	48.436.00 Square Feet		40	FALSE	6.00	355.051.11230 kWh	73.155.02217 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		173.118.07115	23.38191	0.084174894		
Tecumseh Public School	School	3141 Woodward Avenue	Burlington	L7N 2M3	54.303.00 Square Feet		40	FALSE		196.521.88672 kWh	77.390.56262 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		165.583.69300	18.76529	0.067555047		
Thomas A Blakelock High School	School	1160 Rebecca Street	Oakville	L6L 1Y9	166.255.00 Square Feet		40	FALSE		1.045.503.25391 kWh	402.522.76763 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		863.521.55160	32.01964	0.115270715		
Tiger Jeet Singh Public School	School	650 Yates Drive	Milton	L9T 7P6	72.756.00 Square Feet		40	FALSE		785.567.78516 kWh	41.754.15083 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		155.958.59057	16.89650	0.060827393		
Tom Thomson Public School	School	2171 Prospect Street	Burlington	L7R 1Z6	26.604.00 Square Feet		40	FALSE	4.00	414.610.56250 kWh	76.362.25827 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		185.020.96682	46.08975	0.165923095		
W H Morden Public School	School	180 Morden Road	Oakville	L6K 2S3	41.959.00 Square Feet		40	FALSE	2.00	240.996.59082 kWh	84.369.32603 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		183.138.23153	27.11349	0.097608573		
W I Dick Public School	School	351 Highside Drive	Milton	L9T 1W8	42.302.00 Square Feet		40	FALSE	3.00	511.063.41895 kWh	80.348.49385 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		202.013.68948	32.26772	0.116163814		
West Oak Public School	School	2071 4th Line	Oakville	L6M 3K1	62.885.00 Square Feet		40	FALSE	10.00	688.321.70703 kWh	68.480.24387 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		196.953.65818	22.51911	0.081068812		
White Oaks S.S. (North Campus)	School	1055 McCraney Street East	Oakville	L6H 1H9	89.128.00 Square Feet		40	FALSE	1.00	804.518.83984 kWh	188.147.35817 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		434.591.50240	31.46157	0.113261666		
White Oaks S.S. (South Campus)	School	1330 Montclair Drive	Oakville	L6H 1Z5	181.588.00 Square Feet		40	TRUE	10.00	1.474.211.15625 kWh	374.752.08182 Cubic meter	0.00000 Litre	0.00000 Litre	0.00000	0.00000 Metric tonne	0.00000	0.00000 Giga Joule - steam or hot water	FALSE		0.00000	FALSE		853.048.06595	30.05151	0.108185424		